

REFERENSER

De referenser som i första hand används vid kursen finns angivna i det preliminära programmet.

Alford BA, Beck AT. *The Integrative power of cognitive therapy*. New York: The Guilford Press, 1997.

Andreasen, N., Paradiso, S., O'Leary, D. "Cognitive Dysmetria as an Integrative Theory of Schizophrenia: A Dysfunction in Cortical-Subcortical-Cerebellar-Circuitry?" *Schizophrenia Bulletin*. 1998. 24:203-218.

Beck AT. *Beyond belief: A theory of modes, personality and psychopathology*. I Salkovskis (red). *Frontiers of cognitive therapy*. New York: Guilford, 1996.

Beck AT, Wright FD, Newman CF, Liese BS. *Cognitive therapy of substance abuse*. New York: Guilford 1993.

Beck AT, Rector NA, Stolar N, Grant P. *Schizophrenia: Cognitive Theory, Research, and Therapy*. New York: Guilford 2009.

Beskow J. Longitudinal and transactional perspectives on suicidal behaviour. Experiences of suicide prevention in Sweden. In Achté K, Nieminen K, Vikkula J. (eds) *Suicide Research II. Proceeding of the symposium on suicide research by the Yrjö Jahnsson foundation*. Helsinki: Psychiatria Fennica 1982, suppl, 55 – 64, 1983.

Beskow J (red) *Själv mord och självmordsprevention. Om livsavgörande ögonblick*, Studentlitteratur, 2000.

Beskow J, Palm Beskow A, Ehnvall A. *Suicidalitetens språk*. Studentlitteratur, 2005.

Beskow J. Suicid som psykiskt olycksfall: ett systemperspektiv. *Suicidologi* 2008;13 (3):14-18.

Beskow J, Wikström L. *Psykisk Livräddning. En första lektion om suicidprevention för dig som tänker på självmord*. Broschyr. Västsvenska Nätverket för Suicidprevention, Center för Kognitiv Psykoterapi och Utbildning samt SPES, 2007. Kan laddas ner gratis från www.suicidprev.com

Beskow J. The meaning of suicidality. In Osorno J, Svanström L, Beskow J. *Community Suicide Prevention*. Karolinska institutet, Stockholm, 2010; 37-59.

Beskow J, Salkovskis P, Palm Beskow A. *Cognitive Treatment of Suicidal Adults*. In Wasserman D, Wasserman C (eds). *Oxford Textbook of Suicidology and Suicide Prevention. A Global Perspective*, Oxford University Press, 2009.

Beskow J, Nilsson AM, Ehnvall A, Ljung Aust M, Waern M. *Microanalyses of suicidal episodes. A cognitive-based accident perspective*. Submitted 2009.

Beskow J, Palm Beskow A. *Kognitiv elegans. Kognitiva teorier för psykopatologi och normalitet*. I Fahlke C, Johansson PM. *Psykopatologi*. Manus. Beräknad publicering: Stockholm: Natur och Kultur 2010.

Beskow J. Låt oss bryta mot suicidtabut. *Läkartidningen* 2010; (15): 960-1.

Bion S. Between death as escape and the dream of life. Psychosocial dimensions of health in young men living with substance abuse and suicidal behaviour. Avh. Göteborg: Nordic School och Public health, 2008.

Brown GK, Ten Have T, Henriques GR, Xie SX, Hollander JE, Beck AT. Cognitive therapy for the prevention of suicide attempts. A randomized controlled trial. *JAMA* 2005;294:563-70.

Camus A. Myten om Sisyfos. Stockholm: Bonnier 1957. Franska originalet: *Le Mythe de Sisyphe*, 1942.

Center för Kognitiv Psykoterapi och Utbildning, Göteborg. DVD på c:a 1/12 timme vardera samt studiehäfte;

- Hur går det till? Arbetsmetodik i kognitiv psykoterapi, 2001.

- Kan jag dö av det? Egentlig depression ur biologiskt och kognitivt perspektiv, 2001.

Clark DA, Beck AT, Alford BA. Scientific foundations of cognitive theory and therapy of depression. Chichester: John Wiley & Sons, 1999.

Clark DA, Beck AT. Cognitive therapy of anxiety disorders. Science and practice. New York: Guilford Press, 2010.

Deisenhammer ERA, Ing CM, Strauss R, Kemmler G, Hinterhuber H, Weiss EM. The duration of the suicidal process: How much time is left for intervention between consideration and accomplishment of a suicide attempt?. *J Clin Psychiatry* 2009;70(1):19-24.

Ehlers, Anke and Clark, David M. Post-traumatic stress disorder: The development of effective psychological treatments, *Nordic Journal of Psychiatry*, 2008;62:1,11 — 18.

Ehnavall A. Life-charting patients with treatment-refractory affective disorder. Avh. Goteborg university, Institute of clinical Neuroscience, Dep of Psychiatry, 2008.

Ehnavall A, Parker GB, Hadzi-Pavlovic D, Mahli G. Perception of rejecting and neglectful parents in childhood relates to lifetime suicide attempts for females - but not for males. *Acta Psychiatrica Scandinavica*, 2008; 117(1);50-56.

Ehnavall A, Mitchell PB, Hadzi-Pavlovic D, Mahli G, Parker GB. Pain during depression and relationship to rejection sensitivity *Acta Psychiatrica Scandinavica* 2009;119;375-382.

Ehnavall A, Mitchell P, Hadzi-Pavlovic D, Loo C, Breakspear M, Wright A, Roberts G, Frankland A and Corry J. Pain and rejection sensitivity in bipolar depression. Accepted, *Bipolar Disorders*.

Ellis TE (ed). *Cognition and Suicide. Theory, Research and Therapy*. Washington: American Psychological Association, 2006.

Fleischer E. Den talande tavsheden. Selvmord og selvmordsforsøg som talehandling. Avh. Odense:Odense Universitet, 2000.

Goldney RD. *Suicide prevention*. Oxford Psychiatry Library. Oxford University Press, 2008.

- Grawe K. Neuropsychotherapy. How the neurosciences inform effective psychotherapy. Mahwah, NJ: Lawrence Erlbaum, 2007.
- Guidano VF. The self in process. Toward a post-rationalist cognitive therapy. New York: Guilford press, 1991.
- Gyllenhammar C. Bryta vanor. Kognitiv och beteendeariktad behandling vid missbruk och beroende. Stockholm: Natur och Kultur, 2007.
- Gyllensten K, Palm Beskow A, Palmer S (red). *Psykologisk coaching för varaktig förändring*. Stockholm: Natur och Kultur 2011.
- Johnsson E. Självordsförsök bland narkotikamissbrukare. Lund:Lund University, Lund disserations in social work 10, 2002.
- Hackmann A, Bennett-Levy J, Holmes EE. *Oxford Guide to Imagery in Cognitive Therapy*. Oxford: Oxford University Press, 2011.
- Hollnagel E. Barriers and Accident Prevention. Ashgate, Burlington 2004.
- Holmes EA, Crane C, Fennell MJV, Williams JMG. Imagery about suicide in depression – “Flash forwards”? *Journal of Behavior Therapy and Experimental Psychiatry* 2007; 38: 423-434.
- Holmes EA, Mathews A. Mental imagery in emotion and emotional disorders *Clinical Psychology Review*. 2010 (30): 349–362.
- Hunter M. Understanding dissociative disorder. A guide for family physicians and Health care professionals. Camarthen, UK: Crown House Publ., 2009.
- Hyun MS, Nam KA, Kim MA (2010) Randomized controlled trial of a cognitive-behavioral therapy for at-risk Korean male adolescents. *Arch Psychiatr Nurs*. 24:202-211.
- Jobes DS. Managing suicidal risk. A collaborative approach. New York: Guilford 2006.
- Joiner TE. Why people die by suicide. Cambridge, Mass, Harvard University Press, 2005.
- Kelly G. The psychology of personal constructs. Vol.1. A theory of personality. Vol.2. Clinical diagnosis and psychotherapy. New York: Norton & Co. 1955.
- Kuyken W, Padesky CA, Dudley R. Collaborative Case Conceptualization. Working Effectively with Clients in Cognitive-Behavioural Therapy. New York: Guilford Press, 2009. Landstinget Halland. Psykiatri i Halland. Suicidprevention. Vårdprogram. Halmstad 2009.
- Linehan MM (1993). Cognitive-behavioral treatment of borderline personality disorder. Guilford Press, New York.
- Lundh LG. Kognitiv personlighetsteori och behaviouristisk inlärningsteori. I Fahlke C, Johansson PM. Personlighetspsykologi. Stockholm: Natur och Kultur, 2007: 112-157.
- Metzinger T. The Ego Tunnel. The science of the mind and the myth of the self. New York:

Basic Books, 2009.

Michel P.O., Bergh Johannesson, K., Ahmad, A., Lundin, T (2006). Posttraumatiskt stressyndrom alltmer i fokus - Diagnos och riskfaktorer välbeskrivna men oklart hur vanligt tillståndet är. Läkartidningen nr 44 2006 volym 103 3369

Michel K , Maltzberger JT, Jobes DA et al. Case Study. Discovering the Truth in Attempted Suicide. American Journal of Psychotherapy, 2002; 56: 424-37.

Miró M, Palm Beskow A. The moviola technique: A mindful reconstruction of lived events. Manus. Planerad produktion: Lund:Studentlitteratur 2011.

Ogden P, Minton K, Pain C. Trauma and the Body. A Sensorimotor Approach to Psychotherapy. London: Norton o Co, 2006.

Oestrich IH, Kolstrup N. Kognitiv terapi i läkarpraktiken. Handbok för läkare. Övers. Per Larson. Lund: Studentlitteratur 2003.

Osorno J, Svanström L, Beskow J. Community Suicide Prevention. Stockholm: Karolinska institutet 2010. Publiceras i början av hösten 2010. Kan redan nu laddas ner gratis från www.phs.ki.se/csp

Palm A (red) Kognitivt förhållningssätt. En psykologisk teori för samverkan med patienten. Stockholm: Natur och Kultur, 1994.

Palm Beskow A, Beskow J, Miró MT. Kognitiv psykoterapi och medvetenhetsutveckling. Om att leva i konvivialitet. Kungälv: Center för Kognitiv Psykoterapi och Utbildning, 2:a uppl. 2004.

Pokorny AD. A scheme for classifying suicidal behaviors. I Beck AT, Resnik HLP, Lettieri DJ (eds). The prediction of suicide. Bowie, Maryland: The Charles Press Publ. Inc. 1974:29-44.

Popper KR. The logic of scientific discovery. New York: Basic books, 1959.

Premack, D. G. and Woodruff, G. (1978). Does the chimpanzee have a theory of mind? Behavioral and Brain Sciences, 1, 515-526.

Ringskog Vagnhammar SR, Wasserman D. Första hjälpen vid självmordsrisk. Lund: Studentlitteratur 2010.

Rudd MD. Fluid vulnerability theory: A cognitive approach to understanding the process of acute and chronic suicide risk. In Ellis, TE (ed) Cognition and Suicide. Theory, Research and Therapy. Washington: American Psychological Association, 2006.

Rådbo H. Systeminriktad prevention av järnvägssjälv mord. Strategiutveckling i en svensk kontext. Avh. Karlstad: Fakulteten för samhälls- och livsvetenskaper. Folkhälsovetenskap. Karlstad University studies 2008:34.

Salkovskis P.M. (2001). Psychological treatment of suicidal patients. In Wasserman D (ed.)

Suicide - an unnecessary death. Martin Dunitz, London.

Salkovskis P.M. (2002). Empirically grounded clinical interventions: Cognitive-behavioural therapy progresses through a multi-dimensional approach to clinical science. *Behavioural and Cognitive Psychotherapy*, 30, 3-9.

Skogman K. Understanding suicidality. Suicide risk, sex differences and views of suicide attempters. Lund: Lund University: Dep of clinical sciences, Psychiatry, 2006.

Stopa L (ed) *Imagery and the Threatened Self. Perspectives on Mental Imagery and the Self in Cognitive Therapy*. London: Routledge 2009.

Sunnqvist C. Life events, stress and coping. Suicidal patients in a time-perspective. Lund: Dep of Clinical Science, Faculty of Medicine, Psychiatry, 2009.

Socialstyrelsen. Nationella riktlinjer för vård vid depression och ångestsyndrom. Stöd för styrning och ledning. Stockholm 2010.

Stern D. Ögonblickets psykologi. Om tid och förändring i psykotterapi och vardagsliv. Stockholm: Natur och Kultur 2005.

Tidemalm D, Långström N, Lichtenstein V, Runeson B. Risk of suicide after suicide attempt according to coexisting psychiatric disorder: Swedish cohort study with long term follow-up *BMJ* 2008; 337; a2205.

Tillich P. Modet att vara till, Pastoralhandböcker KOLLA, 1962. engelsk titel: The Courage to Be 1952.

Van Heeringen K. Understanding suicidal behaviour. The suicidal process approach to research, treatment and prevention. Chichester: John Wiley & Sons, Ltd, 2001.

Vea I. Dødelig skam. *Suicidologi* 2006;11(1):19-20.

Wasserman D (ed) (2001). *Suicide - an unnecessary death*. Martin Dunitz, London.

Wasserman D, Wasserman E. *Oxford Textbook to Suicidology and Suicide Prevention. A global perspective*. Oxford: Oxford University Press, 2009

Wenzel A, Brown GK, Beck AT. *Cognitive Therapy for Suicidal Patients. Scientific and Clinical Applications*. Washington: American Psychological Association, 2009.

Williams M. *Suicide and attempted suicide. Understanding the cry of pain*. London: Penguin Books, 2001, 1st edition 1997.

Williams JMG, Barnhofer T, Crane C and Beck AT. Problem solving deteriorates following mood challenge in formerly depressed patients with a history of suicidal ideation. *Journal of Abnormal Psychology*, 2005;114: 421-31.

Williams JMG, Crane C, Barnhofer T, Van der Does AJW and Segal ZV. Recurrence of suicidal ideation across depressive episodes. *Journal of Affective Disorders*. 2006; 91: 189-94.

Ytterstad B. The Harstad injury prevention study: Hospital-based injury recording and community-based intervention. Tromsø: University of Tromsø, Institute of community medicine, ISM skriftserie nr 33, 1995.

Örebro läns landsting. Vårdprogram för Suicidnära patienter.

Vård- och handlingsprogram för självmordsnära patienter

Programmet inkluderar även kontakt med deras närstående.

Örebro: Örebro läns landsting, Primärvård, psykiatri och habilitering, 2009

REFERENSER